

## VENUE RIDER

## FOYER

THIS TECHNICAL PAPER HAS 5 PAGES. IT HAS LAST BEEN UPDATED ON 26. AUGUST 2013.

## DIMENSIONS & CONSTRUCTION

### VENUE

SIZE	213M <sup>2</sup>
WIDTH	12M
DEPTH	17.75M
HEIGHT	3.30M

### STAGE

STAGE SIZE	16M <sup>2</sup>
STAGE WIDTH	4M
STAGE DEPTH	4M
STAGE HEIGHT	0.50M

STAGE MATERIAL                      WOODEN PLATFORMS, BLACK, 2x1M

CLEARANCE HEIGHT STAGE            2.80M  
CLEARANCE HEIGHT AUDIENCE       3.30M  
PORTAL HEIGHT                        2.30M ABOVE STAGEFLOOR = 2.80M ABOVE AUDIENCE

BACKDROP AND SIDE CURTAINS      BLACK MOLTON (FLAME RETARDANT)

### RIGGING

CHECK PLOT FOR FURTHER INFORMATION

TOPLIGHT POSITION                    SEVERAL 2 INCH BARS  
HEIGHT                                  2.55M ABOVE STAGEFLOOR

FRONTLIGHT POSITION                 SINGLE 2 INCH BARS ACROSS THE STAGE  
HEIGHT                                  2.55M ABOVE STAGEFLOOR

RIGGING AUDIENCE                  SEVERAL 2 INCH BARS  
HEIGHT                                  3.05M ABOVE THE FLOOR

### BACKSTAGE/DRESSING ROOMS

BACKSTAGE                              SEPARATE ROOM, 20M<sup>2</sup>  
BACKSTAGE ENTRY

TOILETS                                  3 EUROPEAN-STYLE TOILETS, WARM WATER



SHOWER 2 SHOWERS WITH WARM WATER

QUICKCHANGE SIDESTAGE LEFT, 4 M<sup>2</sup>  
DIRECT ACCESS TO THE STAGE

## SOUND

---

### SWISS LOUDNESS LAW

PLEASE NOTE THAT ACCORDING TO A STRICT SWISS LAW RESPECTIVE THE LOUDNESS, NO BAND SHALL EXCEED **LEQ60 100 DB(A)** AND THE TOPS NEVER EXCEED THE LIMIT OF **125 DB(A) AT ANY TIME.** WE THANK YOU IN ADVANCE FOR YOUR COOPERATION!

### PA

#### 4.5KW

SPEAKERS 2 KLING & FREITAG CA 1215 12"/1,5" TOP  
2 EV MT-4 2x15" SUB  
3 SR TECHNOLOGY 8"/1" DELAYLINE

2 KLING & FREITAG CA 1215 12"/1,5" REAR

AMPS 1 LAB GRUPPEN FP3400 TOP/REAR  
1 LAB GRUPPEN FP6400 SUB  
1 ZECK PT5 DELAYLINE

CONTROLLER 1 KLING & FREITAG CD44 (4 IN/4 OUT)

### MONITORING

#### 4 WAYS FROM FOH

LOUDSPEAKERS 4 OUTLINE STAGE 15PLUS 350W WEDGES

AMPS 1 LAB GRUPPEN 1200C

## **FOH**

DESK	YAMAHA LS9-16 (16 CHANNEL)
STAGEBOX/MULTICORE	16 SENDS 6 RETURNS (2 FRONT, 4 MONITORING)

## **SOUNDSOURCES**

MICROPHONES	4 SHURE SM58 4 SHURE SM57 1 SHURE BETA 52 1 SHURE BETA91 3 SENNHEISER E604 2 SENNHEISER E906 2 BEYERDYNAMIC MCE93
DIS	2 BSS AR-133 ACTIV DI BOX 2 ACTIVE DI'S 3 PASSIVE DI'S 1 QUAD. ACTIVE DI'S

## **DJING**

DISCO MIXER	1 ALLEN & HEATH XONE 92 1 RANE TTM57 1 PIONEER DJM 900 1 PIONEER DJM 600
CD-PLAYER	2 PIONEER CDJ1000 MKIII
TURNTABLES	2 TECHNICS MK II WITH ORTOFON NIGHTCLUB E PICKUPS

## **POWER**

BACKLINE POWER	HUMM-FREE, SEPERATED FROM THE LIGHTS 230V, 13A SWISS "T13" POWERSOCKETS 1 230V-110V TRANSFORMER
POWERBOARDS	SWISS "T13" POWERBOARDS GERMAN/EUROPEAN "SCHUKO" POWERBOARDS AMERICAN POWERBOARDS



## LIGHT

---

FOR THE GENERAL SETUP PLEASE CHECK THE LIGHTING PLOT AND THE PICTURES OF THE STAGE.

### BASIC LIGHTING SETUP

BACKLIGHT	6 PAR56 300W 4 LIGHTMAXX LED PAR38 4 MARTIN ROBOSCAN PRO 518 1 FLOOD 1KW
TOPLIGHT	2 FLOOD 1KW
FRONTLIGHT	2 FRESNEL 500W
SIDELIGHT	2 PAR30 (75W)
STAGEFLOOR	1 HAZEBASE HAZEBASER PRO HAZEMACHINE 1.5KW
AUDIENCE	11 LIGHTMAXX LED PAR38 4 MARTIN ROBOSCAN PRO 518 7 CHANNEL AMBILIGHT

### ELECTRICS

POWERSUPPLY	2 CEE 32 IN 5M RANGE TO THE STAGE 1 T13, 230V, 13A IN 2M RANGE TO THE STAGE
-------------	--

### CONTROLLING

DESK	AVOLIGTS PEARL TIGER 2008
DIMMER	2 ETR DP 1200 12x1KW DIMMER 2 SHOWTEC 4x4 AMPS

### LUMINARIES

PCS/FRESNELS	2 FRESNEL 500W 1 PC 1KW
PARS	12 PAR56 (300W) 4 PAR30 4 4BARS PAR20
BLINDERS	3 FLOOD 1KW



MOVING SPOTS	8 MARTIN ROBOSCAN PRO 518
STROBE	1 SGM STROBOSCOPE 1.5KW 1 ANALOUGE STROBOSCOPE 1.5KW
COLORCHANGER	20 LIGHTMAXX LED PAR38
SMOKE	1 HAZEBASE HAZEBASER PRO HAZEMACHINE 1.5KW 1 JEM ZR 33 FOGMACHINE 2KW 2 FAN (DIMABLE)

## VIDEO

---

PROJECTOR	2 ACER P5390W (4000 ANSILUMEN)
SCREEN	1 4x3M FRONTPRO (MONTED IN THE AUDIENCE) 1 3x2.5M FRONTPRO (MONTED IN THE BACKDROP)

## RECORDING STUDIO

---

YOU HAVE THE POSSIBILITY TO OPTIONALLY BOOK OUR INHOUSE HIGH CLASS MULTITRACK RECORDING FACILITY FOR YOUR LIVE PERFORMANCE.  
THE RECORDING STUDIO «KLANGFAKTUR» WITH FINE ANALOGUE AND DIGITAL GEAR IS READY FOR RECORDING UP TO 32 CHANNELS CLEANLY SPLITTED.

PLEASE SEND AN EMAIL IF YOU ARE INTERESTED IN THIS OPTION:

E-MAIL: [INFO@KLANGFAKTUR.CH](mailto:INFO@KLANGFAKTUR.CH)  
WEB: [WWW.KLANGFAKTUR.CH](http://WWW.KLANGFAKTUR.CH)

## FURTHER QUESTIONS?

---

IF YOU HAVE FURTHER QUESTIONS, DON'T HESITATE TO CONTACT US.

E-MAIL: [TECHNIK@KIFF.CH](mailto:TECHNIK@KIFF.CH)  
PHONE: +41 62 822 16 36  
FAX: +41 62 822 05 53  
WEB: [WWW.KIFF.CH](http://WWW.KIFF.CH)