

## Venue Rider

### KIFF AARAU Foyer

THANK YOU FOR READING OUR VENUE RIDER. THIS TECHICAL PAPIER HAS 6 PAGES. IT HAS LAST BEEN UPDATED ON 29. AUGUST 2018.  
WE ARE LOOKING FORWARD TO WORK WITH YOU!  
YOUR VENUE CREW

## DIMENSIONS & CONSTRUCTION

---

### VENUE

SIZE	213M <sup>2</sup>
WIDTH	12M
DEPTH	17.75M
HEIGHT	3.30M
CAPACITY	250 PEOPLE

### STAGE

STAGE SIZE	16M <sup>2</sup>
STAGE WIDTH	4M
STAGE DEPHT	4M
STAGE HEIGHT	0.50M
DISTANCE STAGE – FOH	4.2M
STAGE CONSTRUCTION	BUETEC PLATFORMS, BLACK, 2x1M
CLEARANCE HEIGHT STAGE	2.80M
CLEARANCE HEIGHT AUDIENCE	3.30M
PORTAL HEIGHT	2.30M ABOVE STAGEFLOOR = 2.80M ABOVE AUDIENCE
BACKDROP AND SIDE CURTAINS	BLACK MOLTON (FLAME RETARDANT)
FRONT CURTAIN	BLACK MOLTON, TRAVELER (BRECHT-STYLE)

### RIGGING

TOPLIGHT POSITION	SEVERAL 4.8CM BARS
HEIGHT	2.55M ABOVE STAGEFLOOR
FRONTLIGHT POSITON	SINGLE 4.8CM BARS ACROSS THE STAGE
HEIGHT	2.55M ABOVE STAGEFLOOR
RIGGING AUDIENCE	SEVERAL 4.8CM BARS
HEIGHT	3.05M ABOVE THE FLOOR

## BACKSTAGE/DRESSING ROOMS

BACKSTAGE	SEPARATE ROOM, 20M <sup>2</sup> BACKSTAGE ENTRY
TOILETS	3 EUROPEAN-STYLE TOILETS, WARM WATER
SHOWER	2 SHOWERS WITH WARM WATER
QUICKCHANGE	SIDESTAGE LEFT, 4 M <sup>2</sup> DIRECT ACCESS TO THE STAGE

## SOUND

---

### SWISS LOUDNESS LAW

PLEASE NOTE THAT ACCORDING TO A STRICT SWISS LAW RESPECTIVE THE LOUDNESS, NO BAND SHALL EXCEED **LEQ 100 DB(A) OVER 60 MINUTES,** AND THE TOPS NEVER EXCEED THE LIMIT OF **125 DB(A) AT ANY TIME.**

WE THANK YOU IN ADVANCE FOR YOUR COOPERATION!

### PA

#### FRONT

##### SPEAKERS

2 KLING & FREITAG CA 1215 12"/1,5" TOP  
 2 KLING & FREITAG SW215 2x15" SUB  
 3 SR TECHNOLOGY 8"/1" DELAYLINE

##### AMPS

1 LAB GRUPPEN FP3400 TOP  
 1 LAB GRUPPEN FP6400 SUB  
 1 ZECK PT5 DELAYLINE

##### CONTROLLER

1 KLING & FREITAG CD44 (4 IN/4 OUT)

#### REAR

##### SPEAKERS

2 KLING & FREITAG CA 1215 12"/1,5" TOP

##### AMPS

1 LAB GRUPPEN FP3400

### MONITORING

#### 4 SENDS FROM FOH, 4 AMP-CHANNELS

##### SPEAKERS

4 OUTLINE STAGE 15PLUS 350W WEDGES

##### AMPS

1 LAB GRUPPEN 1200C

### FOH

##### DESK

MIDAS M32 (32IN, 16OUT)

##### STAGEBOX/MULTICORE

MIDAS DL32  
 32 INPUTS  
 16 RETURNS

##### CONNECTIONS

2 CAT6 ETHERCON CONNECTIONS FOH-STAGE  
 2 XLR TIELINE CONNECTIONS FOH-STAGE

## **SOUND SOURCES**

### **WIRED MICROPHONES**

4 SHURE SM58  
4 SHURE SM57  
1 SHURE BETA52  
1 SHURE BETA91A  
1 AUDIX OM7  
4 SENNHEISER E604  
2 SENNHEISER E906  
1 BEYERDYNAMIC MCE93

### **D.I. BOXES**

3 BSS AR-133 ACTIV DI BOX  
1 BEHRINGER ULTRA DI  
2 PALMER PLI-02  
1 PALMER PLI-04

### **MICROPHONE STANDS**

7 TALL K&M STANDS  
10 SHORT K&M STANDS

FURTHER MICROPHONES AND DI'S AVAILABLE ON REQUEST

## **POWER**

### **BACKLINE POWER**

HUMM-FREE, SEPERATED FROM THE LIGHTS  
230V, 16A SWISS "T23" POWERSOCKETS  
1 230V-110V TRANSFORMER

### **POWERBOARDS**

SWISS "T13" POWERBOARDS  
GERMAN/EUROPEAN "SCHUKO" POWERBOARDS  
AMERICAN POWERBOARDS

## **DJING**

### **DJ MIXER**

1 ALLEN & HEATH XONE 92  
1 RANE TTM57  
1 PIONEER DJM 900-NXS

### **CD-PLAYER**

2 PIONEER CDJ2000-NXS

### **TURNTABLES**

2 TECHNICS MK II WITH ORTOFON NIGHTCLUB PICKUPS

## LIGHT

---

### BASIC LIGHTING SETUP

FRONTLIGHT	2 MILANO SPOTLIGHT FRESNEL 650W
BACKLIGHT	4 PAR56 LONGNOSE 300W 8 CAMEO MINI COB LED PAR 30W 4 MARTIN RUSH MH 5 SPOT MOVING LIGHTS 1 FLOOD 1KW
SIDELIGHT	2 PAR30 75W
STAGEFLOOR	4 LIGHTMAXX LED PAR38
HAZE	1 MARTIN JEM COMPACT HAZER PRO USING WATER-BASED MARTIN C-PLUS HAZE FLUID
AUDIENCE	12 LIGHTMAXX LED PAR38 4 MARTIN RUSH MH5 SPOT MOVING LIGHTS DECO GLOBES AS AMBIENT LIGHTS

### ADDITIONAL LUMINARIES

PARS	4 FOURBAR PAR20
STROBE	1 SGM STROBOSCOPE 1.5KW MARTIN ATOMIC 3000 AVAILABLE ON REQUEST
HAZE	1 HAZEBASE HAZEBASER PRO HAZEMACHINE 1.5KW
UV	2 UV GUN 100W

### FOH & POWER

DESK	AVOLIGHTS PEARL EXPERT TITAN
POWERSUPPLY	2 CEE32 NEXT TO THE STAGE 2 CEE16 NEXT TO THE STAGE 18X T23 (16A) IN ALL AREAS OF THE VENUE
DIMMER	2 ETR DP 1200 12x1KW DIMMER

## VIDEO

---

PROJECTOR	4 ACER P5390W (4000 ANSILUMEN)
SCREEN	1 4x3M FRONTPRO (MOUNTED IN THE AUDIENCE)
CONNECTIONS	3 VGA CONNECTION FROM SIDESTAGE TO VIDEO INPUT AND OUTPUT POSITIONS

## FURTHER QUESTIONS?

---

THE VENUE TECHNICIAN CREW IS LOOKING FORWARD TO WORK WITH YOU!  
IF YOU HAVE FURTHER QUESTIONS, DON'T HESITATE TO CONTACT US.

E-MAIL:	TECHNIK@KIFF.CH
PHONE:	+41 62 822 16 36
MOBILE:	+41 79 760 62 97
WEB:	WWW.KIFF.CH