

Venue Rider

KIFF AARAU Foyer

THANK YOU FOR READING OUR VENUE RIDER. THIS TECHICAL PAPIER HAS 6 PAGES. IT HAS LAST BEEN UPDATED ON 22. JANUARY 2019.
WE ARE LOOKING FORWARD TO WORK WITH YOU!
YOUR VENUE CREW

DIMENSIONS & CONSTRUCTION

VENUE

SIZE	213M ²
WIDTH	12M
DEPTH	17.75M
HEIGHT	3.30M
CAPACITY	250 PEOPLE

STAGE

STAGE SIZE	16M ²
STAGE WIDTH	4M
STAGE DEPHT	4M
STAGE HEIGHT	0.50M
DISTANCE STAGE – FOH	4.2M
STAGE CONSTRUCTION	BUETEC PLATFORMS, BLACK, 2x1M
CLEARANCE HEIGHT STAGE	2.80M
CLEARANCE HEIGHT AUDIENCE	3.30M
PORTAL HEIGHT	2.30M ABOVE STAGEFLOOR = 2.80M ABOVE AUDIENCE
BACKDROP AND SIDE CURTAINS	BLACK MOLTON (FLAME RETARDANT)
FRONT CURTAIN	BLACK MOLTON, TRAVELER (BRECHT-STYLE)

RIGGING

TOPLIGHT POSITION	SEVERAL 4.8CM BARS
HEIGHT	2.55M ABOVE STAGEFLOOR
FRONTLIGHT POSITON	SINGLE 4.8CM BARS ACROSS THE STAGE
HEIGHT	2.55M ABOVE STAGEFLOOR
RIGGING AUDIENCE	SEVERAL 4.8CM BARS
HEIGHT	3.05M ABOVE THE FLOOR

BACKSTAGE/DRESSING ROOMS

BACKSTAGE	SEPARATE ROOM, 20M ² BACKSTAGE ENTRY
TOILETS	3 EUROPEAN-STYLE TOILETS, WARM WATER
SHOWER	2 SHOWERS WITH WARM WATER
QUICKCHANGE	SIDESTAGE LEFT, 4 M ² DIRECT ACCESS TO THE STAGE

SOUND

SWISS LOUDNESS LAW

PLEASE NOTE THAT ACCORDING TO A STRICT SWISS LAW RESPECTIVE THE LOUDNESS, NO BAND SHALL EXCEED **LEQ 100 DB(A) OVER 60 MINUTES,** AND THE TOPS NEVER EXCEED THE LIMIT OF **125 DB(A) AT ANY TIME.**

WE THANK YOU IN ADVANCE FOR YOUR COOPERATION!

PA

FRONT SPEAKERS

2 KLING & FREITAG CA 1215 12"/1,5" TOP
 2 KLING & FREITAG SW215 2x15" SUB
 2 SR TECHNOLOGY 8"/1" DELAYLINE

AMPS

1 LAB GRUPPEN FP3400 TOP
 1 LAB GRUPPEN FP6400 SUB
 1 ZECK PT5 DELAYLINE

CONTROLLER

1 KLING & FREITAG CD44 (4 IN/4 OUT)

REAR SPEAKERS

2 KLING & FREITAG CA 1215 12"/1,5" TOP

AMPS

1 LAB GRUPPEN FP3400

MONITORING

4 SENDS FROM FOH, 4 AMP-CHANNELS

SPEAKERS

4 OUTLINE STAGE 15PLUS 350W WEDGES

AMPS

1 LAB GRUPPEN 1200C

FOH

DESK

MIDAS M32 (32IN, 16OUT)

STAGEBOX/MULTICORE

MIDAS DL32
 32 INPUTS
 16 RETURNS

CONNECTIONS

2 CAT6 ETHERCON CONNECTIONS FOH-STAGE
 2 XLR TIELINE CONNECTIONS FOH-STAGE

SOUND SOURCES

WIRED MICROPHONES

4 SHURE SM58
4 SHURE SM57
1 SHURE BETA52
1 SHURE BETA91A
1 AUDIX OM7
4 SENNHEISER E604
2 SENNHEISER E906
1 BEYERDYNAMIC MCE93

D.I. BOXES

3 BSS AR-133 ACTIV DI BOX
1 BEHRINGER ULTRA DI
2 PALMER PLI-02
1 PALMER PLI-04

MICROPHONE STANDS

7 TALL K&M STANDS
10 SHORT K&M STANDS

FURTHER MICROPHONES AND DI'S AVAILABLE ON REQUEST

POWER

BACKLINE POWER

HUMM-FREE, SEPERATED FROM THE LIGHTS
230V, 16A SWISS "T23" POWERSOCKETS
1 230V-110V TRANSFORMER

POWERBOARDS

SWISS "T13" POWERBOARDS
GERMAN/EUROPEAN "SCHUKO" POWERBOARDS
AMERICAN POWERBOARDS

DJING

DJ MIXER

1 ALLEN & HEATH XONE 92
1 RANE TTM57
1 PIONEER DJM 900-NXS

CD-PLAYER

2 PIONEER CDJ2000-NXS

TURNTABLES

2 TECHNICS MK II WITH ORTOFON NIGHTCLUB PICKUPS

LIGHT

BASIC LIGHTING SETUP

FRONTLIGHT	2 MILANO SPOTLIGHT FRESNEL 650W
BACKLIGHT	4 PAR56 LONGNOSE 300W 8 CAMEO MINI COB LED PAR 30W 4 MARTIN RUSH MH 5 SPOT MOVING LIGHTS 1 FLOOD 1KW
SIDELIGHT	2 PAR30 75W
STAGEFLOOR	6 LIGHTMAXX LED PAR38
HAZE	1 MARTIN JEM COMPACT HAZER PRO USING WATER-BASED MARTIN C-PLUS HAZE FLUID
AUDIENCE	12 LIGHTMAXX LED PAR38 4 MARTIN RUSH MH5 SPOT MOVING LIGHTS DECO GLOBES AS AMBIENT LIGHTS

ADDITIONAL LUMINARIES

PARS	4 FOURBAR PAR20
STROBE	1 SGM STROBOSCOPE 1.5KW MARTIN ATOMIC 3000 AVAILABLE ON REQUEST
HAZE	1 HAZEBASE HAZEBASER PRO HAZEMACHINE 1.5KW
UV	2 UV GUN 100W

FOH & POWER

DESK	AVOLITES PEARL EXPERT TITAN
POWERSUPPLY	2 CEE32 NEXT TO THE STAGE 2 CEE16 NEXT TO THE STAGE 18X T23 (16A) IN ALL AREAS OF THE VENUE
DIMMER	2 ETR DP 1200 12x1KW DIMMER

VIDEO

PROJECTOR	4 ACER P5390W (4000 ANSILUMEN)
SCREEN	1 4x3M FRONTPRO (MOUNTED IN THE AUDIENCE)
CONNECTIONS	3 VGA CONNECTION FROM SIDESTAGE TO VIDEO INPUT AND OUTPUT POSITIONS

FURTHER QUESTIONS?

THE VENUE TECHNICIAN CREW IS LOOKING FORWARD TO WORK WITH YOU!
IF YOU HAVE FURTHER QUESTIONS, DON'T HESITATE TO CONTACT US.

E-MAIL:	TECHNIK@KIFF.CH
PHONE:	+41 62 822 16 36
MOBILE:	+41 79 760 62 97
WEB:	WWW.KIFF.CH