

Venue Rider

KIFF AARAU Foyer

THANK YOU FOR READING OUR VENUE RIDER. THIS TECHICAL PAPIER HAS 6 PAGES. IT HAS LAST BEEN UPDATED ON 13. SEPTEMBER 2021. WE ARE LOOKING FORWARD TO WORK WITH YOU!
YOUR VENUE CREW

DIMENSIONS & CONSTRUCTION

VENUE

| | |
|----------|-------------------|
| SIZE | 213M ² |
| WIDTH | 12M |
| DEPTH | 17.75M |
| HEIGHT | 3.30M |
| CAPACITY | 250 PEOPLE |

STAGE

| | |
|----------------------------|---|
| STAGE SIZE | 16M ² |
| STAGE WIDTH | 4M |
| STAGE DEPHT | 4M |
| STAGE HEIGHT | 0.50M |
| DISTANCE STAGE – FOH | 4.2M |
| STAGE CONSTRUCTION | BUETEC PLATFORMS, BLACK, 2x1M |
| CLEARANCE HEIGHT STAGE | 2.80M |
| CLEARANCE HEIGHT AUDIENCE | 3.30M |
| PORTAL HEIGHT | 2.30M ABOVE STAGEFLOOR = 2.80M ABOVE AUDIENCE |
| BACKDROP AND SIDE CURTAINS | BLACK MOLTON (FLAME RETARDANT) |
| FRONT CURTAIN | BLACK MOLTON, TRAVELER (BRECHT-STYLE) |

RIGGING

| | |
|--------------------|------------------------------------|
| TOPLIGHT POSITION | SEVERAL 4.8CM BARS |
| HEIGHT | 2.55M ABOVE STAGEFLOOR |
| FRONTLIGHT POSITON | SINGLE 4.8CM BARS ACROSS THE STAGE |
| HEIGHT | 2.55M ABOVE STAGEFLOOR |
| RIGGING AUDIENCE | SEVERAL 4.8CM BARS |
| HEIGHT | 3.05M ABOVE THE FLOOR |

BACKSTAGE/DRESSING ROOMS

| | |
|-------------|--|
| BACKSTAGE | SEPARATE ROOM, 20M ² BACKSTAGE ENTRY |
| TOILETS | 3 EUROPEAN-STYLE TOILETS, WARM WATER |
| SHOWER | 2 SHOWERS WITH WARM WATER |
| QUICKCHANGE | SIDESTAGE LEFT, 4 M ² DIRECT ACCESS TO THE STAGE |

SOUND

SWISS LOUDNESS LAW

PLEASE NOTE THAT ACCORDING TO A STRICT SWISS LAW RESPECTIVE THE LOUDNESS, NO BAND SHALL EXCEED **LEQ 100 DB(A) OVER 60 MINUTES,** AND THE TOPS NEVER EXCEED THE LIMIT OF **125 DB(A) AT ANY TIME.**

WE THANK YOU IN ADVANCE FOR YOUR COOPERATION!

PA

FRONT SPEAKERS

2 KLING & FREITAG CA 1215 12"/1,5" TOP
 2 KLING & FREITAG SW215 2x15" SUB
 2 SR TECHNOLOGY 8"/1" DELAYLINE

AMPS

1 LAB GRUPPEN FP3400 TOP
 1 LAB GRUPPEN FP6400 SUB
 1 ZECK PT5 DELAYLINE

CONTROLLER

1 KLING & FREITAG CD44 (4 IN/4 OUT)

REAR SPEAKERS

2 KLING & FREITAG CA 1215 12"/1,5" TOP

AMPS

1 LAB GRUPPEN FP3400

MONITORING

4 SENDS FROM FOH, 4 AMP-CHANNELS

SPEAKERS

4 OUTLINE STAGE 15PLUS 350W WEDGES

AMPS

1 LAB GRUPPEN 1200C

FOH

DESK

MIDAS M32 (32IN, 16OUT)

STAGEBOX/MULTICORE

MIDAS DL32
 32 INPUTS
 16 RETURNS

CONNECTIONS

2 CAT6 ETHERCON CONNECTIONS FOH-STAGE
 2 XLR TIELINE CONNECTIONS FOH-STAGE

SOUND SOURCES

WIRED MICROPHONES

4 SHURE SM58
4 SHURE SM57
1 SHURE BETA52
1 SHURE BETA91A
1 AUDIX OM7
4 SENNHEISER E604
2 SENNHEISER E906
1 BEYERDYNAMIC MCE93

D.I. BOXES

3 BSS AR-133 ACTIV DI BOX
1 BEHRINGER ULTRA DI
2 PALMER PLI-02
1 PALMER PLI-04

MICROPHONE STANDS

7 TALL K&M STANDS
10 SHORT K&M STANDS

FURTHER MICROPHONES AND DI'S AVAILABLE ON REQUEST

POWER

BACKLINE POWER

HUMM-FREE, SEPERATED FROM THE LIGHTS
230V, 16A SWISS "T23" POWERSOCKETS
1 230V-110V TRANSFORMER

POWERBOARDS

SWISS "T13" POWERBOARDS
GERMAN/EUROPEAN "SCHUKO" POWERBOARDS
AMERICAN POWERBOARDS

DJING

DJ MIXER

1 ALLEN & HEATH XONE 92
1 RANE TTM57
1 PIONEER DJM 900-NXS

CD-PLAYER

2 PIONEER CDJ2000-NXS

TURNTABLES

2 TECHNICS MK II WITH ORTOFON NIGHTCLUB PICKUPS

LIGHT

BASIC LIGHTING SETUP

| | |
|------------|---|
| FRONTLIGHT | 2 MILANO SPOTLIGHT FRESNEL 650W |
| BACKLIGHT | 4 PAR56 LONGNOSE 300W 8 CAMEO MINI COB LED PAR 30W 4 MARTIN RUSH MH 5 SPOT MOVING LIGHTS 1 FLOOD 1KW |
| SIDELIGHT | 2 PAR30 75W |
| STAGEFLOOR | 6 LIGHTMAXX LED PAR38 |
| HAZE | 1 MARTIN JEM COMPACT HAZER PRO USING WATER-BASED MARTIN C-PLUS HAZE FLUID |
| AUDIENCE | 12 LIGHTMAXX LED PAR38 4 MARTIN RUSH MH5 SPOT MOVING LIGHTS DECO GLOBES AS AMBIENT LIGHTS |

ADDITIONAL LUMINARIES

| | |
|--------|--|
| PARS | 4 FOURBAR PAR20 |
| STROBE | 1 SGM STROBOSCOPE 1.5KW MARTIN ATOMIC 3000 AVAILABLE ON REQUEST |
| HAZE | 1 HAZEBASE HAZEBASER PRO HAZEMACHINE 1.5KW |
| UV | 2 UV GUN 100W |

FOH & POWER

| | |
|-------------|---|
| DESK | AVOLITES PEARL EXPERT TITAN |
| POWERSUPPLY | 2 CEE32 NEXT TO THE STAGE 2 CEE16 NEXT TO THE STAGE 18X T23 (16A) IN ALL AREAS OF THE VENUE |
| DIMMER | 2 ETR DP 1200 12x1KW DIMMER |

VIDEO

| | |
|-------------|---|
| PROJECTOR | 4 ACER P5390W (4000 ANSILUMEN) |
| SCREEN | 1 4x3M FRONTPRO (MOUNTED IN THE AUDIENCE) |
| CONNECTIONS | 3 VGA CONNECTION FROM SIDESTAGE TO VIDEO INPUT AND OUTPUT POSITIONS |

FURTHER QUESTIONS?

THE VENUE TECHNICIAN CREW IS LOOKING FORWARD TO WORK WITH YOU!
IF YOU HAVE FURTHER QUESTIONS, DON'T HESITATE TO CONTACT US.

| | |
|---------|------------------|
| E-MAIL: | TECHNIK@KIFF.CH |
| PHONE: | +41 62 822 16 36 |
| WEB: | WWW.KIFF.CH |